# Standard

for the judging of all cavy breeds as recognised by the European Association

# Standard

für die Bewertung der vom Europaverband anerkannten Cavia Rassen

4rd. Edition

4. Ausgabe

English version

European Association of Poultry, Pigeon, Cage Bird, Rabbit and Cavy Breeders

Europäischer Verband für Geflügel-, Tauben-, Vogel-, Kaninchen- und Caviazucht

Association Européenne pour l'Elevage des Volailles, des Pigeons, d'Oiseaux, des Lapins et des Cobayes

# The Standards Committee: **Die Standard Kommission:**

President / Präsident :

(Czech Republic)

Secretary / Sekretär: Eva Bednárová (Slovakia)

### Members / Miglieder:

Lena Tysk

Petr Teiml

(Sweden)

Jan Schop

aropéenne (The Netherlands)

Melanie Polinelli

(Switzerland)

Annette Creutzberg Mikkelsen (Denmark)

© All rights reserved – Alle Rechte vorbehalten – Tous Droits reserves

The European Standard for Cavies can only be used for European shows, European Breedspecific shows or official shows organised by all affiliated memberclubs.

For more information in regards to affiliated members: http://www.entente-ee.com/sections/cavy/members/

Edited, Typeset & Design:	The Standards Committee
Printed and published by:	European Association Cavy Section
Photos:	Evelyne van Vliet, Lyndon Nowell, Jan Schop, Tanja Erdel, Petr Tejml, Leoš Svoboda, Michaela Karasová, Jens Lindgren and Amy Heale.

# Foreword

This standard is brought to you by the European Standard Committee Cavy section. In front of you lies the 4th edition of the European Standard for Cavies. Each year the ESKC fully reviews the standard for cavies, because as we all know the standard is a living document. Our fancy is growing and changing by the minute and new colors and/or breeds are found and created up to date. Without the help and input of many affiliated countries and members we wouldn't be able to get this job done.

We hope this standard gives you a proper direction and guidance for your judging at shows. New in 4 groups: Smooth, Rough and other short haired varieties, Long haired and Skinny.

At present, popularity for keeping cavies for exhibitions is growing, literally all over the world, and liking for them, especially in Europe, is enormous. This also brings the demand for information and especially for scientific literature. A group of experienced experts of the standard committee has worked hard to update the European Standard for Cavies, which is currently used not only in European exhibition assessments but is increasingly popular at international and national exhibitions Some of European countries have this already adopted as a national standard

The European Standard for Cavies covers the requirements of EE member states and is a kind of compromise of national standards. Breeds and colors are included in the standard automatically after recognition by at least three affiliated countries.

We believe that the European Standard for Cavies will continue to be considered a good publication, and its popularity will continue to grow, because cavy exhibitions have become a regular part of our lives as cavies fans.

The Standard Committee



Contents	4

General Descrip	tion of Faults	and Disgualifications	7

### Smooth Coated Varieties & Furn 11 . -...

Agoutis	12
Golden	13
Grey	14
Lemon	15
Silver	16
Orange	17
Cream	18
Cinna <mark>m</mark> on	19
Blue/w <mark>h</mark> ite	20

Solid Agoutis	21
Golden	22
Grey	23
Lemon	24
Silver	25
Orange	26
Cream	27
Cinnamon	28
Blue/white	29
Argentes	30
Argontos	21

### **Argentes**

Argentes	"Up			TIL	30
Argentes	C	Pt J		0	31
Solid Argentes		~ ue	Cur		32
Table 1 with (Se	olid) Argen	te colours			33

Selfs	34
Black	35
Blue	36
Slate	37
Lilac	38
Chocolate	39
Coffee	40
Beige	41
Red	42
Golden Dark Eyed (DE)	43
Golden Pink Eyed (PE)	44
Saffron	45
Buff	46
Cream <mark>P</mark> ink Eyed ( <mark>DE</mark> )	47
Cream Dark Eyed (P <mark>E</mark> )	48
White Pink Eyed (DE)	49
White Dark Eyed (PE)	50

	49
White Dark Eyed (PE)	50
Marked Marked	51
Brindle	52
Tortoiseshell	53
Tortoise and White	54
Harlequin	55
Magpie	56
Bicolour	57
Tricolour	58
Dutch	59
Himalayan	61
Californian	<u>63</u>
Dalmation	<u>63</u>
Roan	65
Dapple COULT	<u>66</u>
Tan	<u>67</u>
Lux	<u>69</u>
Otter	71
Fox	73

Rough Hair and other Variants	75
Satin	76
Crested Satin	
Crested	00
Abyssinian	82
Rex	84
US-Teddy	86
CH-Teddy (Swiss teddy)	88
	-Ch
Long Coated Varieties	90
Peruvian	92
Sheltie	94
Coronet	96
Alpaca	98
Texel	
Merino	102
Lunkarya	104
Skinny Skinny	106
Skinny	107

### Appendix I Updates Standard

109

et de Cuniculture

# **European Standard for Purebred Cavies**

# **General description**

### The Standard

1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Breedspecific	10
4.	Breedspecific	15
5.	Breedspecific	15
6.	Breedspecific	15
7.	Condition and Presentation	15
		<u>15</u> 100

### Classes

C-Class:	Cavies from 3 to 6 months old
B-Class:	Cavies from 6 to 9 months old
A-Class:	Cavies 9 months and older

### Awards

98 – 100 points 95 – 97,5 points 92 – 94,5 points 90 – 91,5 points Below 90 points 0 points V (vorzüglich) HV (hervorragend) SG (sehr gut) G (gut) N.B. (nicht befriendigend) Dis (disqualification)

- = Outstanding
- = Excellent
- = Very good
- = Good
- = Insufficient
- = Dis (disqualified)



## 1. Type and Shape

An exhibition cavy has to give off a strong and muscular impression. This is especially expressed by a well developed, broad head and a deep, broad and well muscled shoulder. A broad, well muscled chest and rib cage underlines the body shape which has to be short and cobby. The shoulder gradually dips into the broad, short back, levelling briefly and dipping once more into the well-rounded hindquarters. The body is carried by short, straight and strong legs. The front feet have four toes and the back feet three.

)éenne

### Faults

- slightly long, short, pear-shaped or narrow body
- slightly angular or flat hindquarters
- slightly protruding hip bones
- under-developed shoulder height and width
- crooked toes

### **Disqualifications**

- Any anatomical deformations and abnormalities
- More or fewer toe(s)
- Missing 1 or both testicles (castrated)

et de Cuniculture

### 2. Head, Eyes and Ears

The powerful head has a good width between the eyes and ears, a broad roman nose with a good width of muzzle, rounded at the nostrils and well developed cheeks. The head should be in correct proportion to the body. The ears are of a firm fleshy texture, rose-petal shaped, large and drooping. The eyes are large, round and bold, brimming with vitality. The upper and lower jaws consist of two incisors and four molars on either side.

220

### Faults

- pointed, narrow, short or unproportional head and/or muzzle
- drooping eyelids, sunken, almond-shaped and/or small eyes
- small or damaged ears and/or bad ear carriage
- one folded or hemmed ear

### Disqualifications

- any anatomical skeletal head deformations
- deformations of the eyes (fatty eye or eye spots)
- deformations of the eyelids (entropion)
- two folded or hemmed ears
- missing or broken incisors

et de Cuniculture

# 7. Condition and Presentation

The cavy should be of good size and carry plenty of firm flesh with a clean coat. The eyes should be bright and radiating vitality. The nails must be of correct length to be parallel to the ground, if necessary they should be trimmed. The coat, the pads, the nails as well as the inside and outside of the ears must be clean.

### Faults

- gross(fat), flabby or thin
- dirty or stained (coat)
- crooked nails

### Disgualifications

- obese or extremely thin
- cysts underneath the skin
- nte Européenne - diseased, wounded or pregnant cavies
- severely dirty, greasy and stained overall
- artificially enhanced coat
- infestation of mites and/or running lice
- missing toenail(s)

Rent de Cuniculture

# **Smooth Coated Varieties**

### Introduction

The Smooth coated cavies can be divided in to the follow groups:

- Agoutis
- Solid Agoutis
- Argentes
- Selfs
- Marked

### The Standard

nte Européen 20 1. Type and Shape 2. Head, Eyes and Ears 3. Coat 4. Breedspecific 5. Breedspecific 6. Breedspecific Condition and Presentation

## 3. Coat

The coat is dense, short, flat and glossy and consists of fine, silky hairs. The lie of the coat is horizontal and runs from the head towards the hindguarters. The coat is around 21/2 cm long. The coat has to be free of rosettes and ruffles. The ideal coat of an exhibit looks even with a glossy sheen and is not in moult. A cavy is in moult when there are lots of loose hairs; a small amount of loose hairs are acceptable.

10

15

15

15

15 100

10

### Faults

- slightly matt, thin, open and/or coarse coat (including belly)
- slightly long or short coat
- slightly skirting behind front legs

### Disgualifications

- too thin or open coat
- too long or short length of the coat
- severe moult or bald patches in coat
- guiffs and severe skirting in coat

uniculture In addition to the above, all faults and disgualifications as mentioned under the General Description apply.

# Agoutis

### Introduction

The hairs of Agouti cavies show the characteristic colouring of the wild colour.

There are three kinds of hairshaft colouring.

- 1. Undercolour Topcolour Undercolour
- 2. Undercolour Topcolour
- 3. Undercolour

The ticking is created through the even spread of these three differently coloured hairs. It is important that the ticking on the head around the eyes, the chest and on the feet is also as even as on the body. The belly strip is made up from hairs that have a narrow band of undercolour topped with topcolour. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### The Standard

1116	e Standard	
1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Coat	10
4.	Topcolour and ticking	15
5.	Bellycolour and strip	15
6.	Undercolour	15
7.	Condition and Presentation	<u>15</u>
		100
Fau		
	ght deviation of colour under positions 4, 5 and 6	510
	ghtly wide bellystrip	
	ghtly long in ticking or uneven ticking	
	ghtly dark or light on chest, legs and feet	$\langle A \rangle \langle A \rangle$
	ght eyecircles	
- fe	w odd coloured hairs	Q,
	qualifications	150
	evere deviation of colour under positions 4, 5 and 6	U.
	ellystrip too wide	14
	everely long in ticking or uneven ticking	
- se	everely dark or light on chest, legs and feet	

### Disgualifications

- severe deviation of colour under positions 4, 5 and 6
- bellystrip too wide
- severely long in ticking or uneven ticking
- severely dark or light on chest, legs and feet
- too large eyecircles
- too many odd coloured hairs

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

# Golden-agouti



### 4. Topcolour and ticking

The topcolour is to be a rich, warm mahogany colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eyes:	Dark
Ears:	Black
Pads and Toenails:	Black

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

et de Cuniculture To be deep black.

# Grey-agouti



### 4. Topcolour and ticking

The topcolour is to be a buff colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eyes:	Dark
Ears:	Black
Pads and Toenails:	Black

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

# Lemon-agouti



### 4. Topcolour and ticking

The topcolour is to be a cream colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eyes:		Dark
Ears:		Black
Pads and	Toenails:	Black

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

# Silver-agouti



### 4. Topcolour and ticking

The topcolour is to be a silver-grey colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eyes:	Dark ruby
Ears:	Black
Pads and Toenails:	Black

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

# Orange-agouti



### 4. Topcolour and ticking

The topcolour is to be a rich, golden colour with even chocolate ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eves: Ears: Pads and Toenails: Ruby Chocolate Chocolate

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

e et de Cuniculture To be deep chocolate.

# Cream-agouti



### 4. Topcolour and ticking

The topcolour is to be a cream colour with even chocolate ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eyes: Ears: Pads and Toenails

Ruby Chocolate Chocolate

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

et de Cuniculture To be deep chocolate.

# Cinnamon-agouti



### 4. Topcolour and ticking

The topcolour is to be a silver-white colour with even cinnamon ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eves: Ruby Ears: Chocolate Pads and Toenails: Chocolate

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

et de Cuniculture To be deep cinnamon, i.e. a milk chocolate colour.

# Blue/white-agouti



### 4. Topcolour and ticking

The topcolour is to be a silver-white colour with even blue ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and on the feet.

Eyes:	Dark
Ears:	Dark grey-blue
Pads and Toenails:	Dark grev-blue

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

To be dark grey-blue shade, similar to graphite.

# **Solid Agoutis**

### Introduction

Solid Agoutis differ from "normal" Agoutis in that they do not have a belly strip. They have an evenly ticked belly without a clear demarcation. Invariably Solid Agoutis are usually of a darker colour tone than their "normal" Agouti counterparts.

There are two kinds of hairshaft colouring.

- 1. Undercolour Topcolour Undercolour
- 2. Undercolour Topcolour
- 3. Undercolour

The ticking is created through the even spread of these two differently coloured hairs. It is important that the ticking on the head around the eyes, the chest and on the feet is also as even as on the body (including the belly).

### The Standard

1. Type and Shape	20	
2. Head, Eyes and Ears	10	
3. Coat	10	
4. Topcolour and ticking	15	
5. Bellycolour and ticking	15	
6. Undercolour	15	
7. Condition and Presentation	<u>15</u>	
	<u>15</u> 100	
Faults		

- slight deviation of colour under positions 4, 5 and 6
- slightly long in ticking or uneven ticking
- slightly dark (patches) on body (including belly), head, legs and/or feet
- few odd coloured hairs

### Disqualifications

- severe deviation of colour under positions 4, 5 and 6
- severely long in ticking or uneven ticking
- severely dark (patches) on body (including belly) and/or head
- too many odd coloured hairs

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

# Solid Golden-agouti



### 4. Topcolour and ticking

The topcolour is to be a rich, warm mahogany colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eyes:	Dark
Ears:	Black
Pads and Toenails:	Black

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

# Solid Grey-agouti



### 4. Topcolour and ticking

The topcolour is to be a buff colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eyes:	Dark
Ears:	Black
Pads and Toenails:	Black

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

et de Cuniculture

### 6. Undercolour

# Solid Lemon-agouti



### 4. Topcolour and ticking

The topcolour is to be a cream colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eyes:	Dark
Ears:	Black
Pads and Toenails:	Black

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

### 6. Undercolour

# Solid Silver-agouti



### 4. Topcolour and ticking

The topcolour is to be a silver-grey colour with even black ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Dark ruby Eyes: Ears: Black Pads and Toenails: Black

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

### 6. Undercolour

e et de Cuniculture To be deep black.

# Solid Orange-agouti



### 4. Topcolour and ticking

The topcolour is to be a rich, golden colour with even chocolate ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eyes:	Ruby
Ears:	Chocolate
Pads and Toenails:	Chocolate

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

e et de Cunicultur

### 6. Undercolour

To be deep chocolate.

# Solid Cream-agouti



### 4. Topcolour and ticking

The topcolour is to be a cream colour with even chocolate ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eyes: Ruby Ears: Choo Pads and Toenails: Choo

Ruby Chocolate Chocolate

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

e et de Cunicultur

### 6. Undercolour

To be deep chocolate.

# Solid Cinnamon-agouti



### 4. Topcolour and ticking

The topcolour is to be a silver-white colour with even cinnamon ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eves: Ruby Ears: Cinnamon Pads and Toenails: Cinnamon

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

### 6. Undercolour

et de Cuniculture To be deep cinnamon, i.e. a milk chocolate colour.

# Solid Blue/white-agouti

### 4. Topcolour and ticking

The topcolour is to be a silver-white colour with even blue ticking. The ticking is evenly spread on the body as on the head, around the eyes, the chest and preferably on the feet.

Eyes:DarkEars:DarkPads and Toenails:Dark

Dark Dark grey-blue Dark grey-blue

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

ODee

### 6. Undercolour

To be dark grey-blue shade, similar to graphite.



# Argentes

### Introduction

Argentes are ruby or pink-eyed Agoutis that currently have tipping rather than ticking, although ticking is desired. Tipping shows the hairshaft as follows: the undercolour nearest the skin and the topcolour at the tip of the hair. Most exhibits do therefore not show the three-coloured hair shaft at the moment. Those that do show the same banding on the hairshaft as stated under Agoutis will prevail over those that merely show tipping.

The ticking is created through the even spread of these three differently coloured hairs. It is important that the ticking on the head around the eyes, the chest and on the feet is also as even as on the body. The belly strip is made up from hairs that have a narrow band of undercolour topped with topcolour. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

Th	e Standard	
1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Coat	10
4.	Topcolour and ticking/tipping	15
5.	Bellycolour and strip	15
6.	Undercolour	15
7.	Condition and Presentation	15
		100
Fai		
	ight deviation of colour under positions 4, 5 and 6	
	ightly wide bellystrip	
	ightly long in ticking or uneven ticking	
	ightly dark or light on chest, legs and feet	
- sl	ight eyecircles	
- fe	ew odd coloured hairs	R,
Dis	squalifications	1101
- se	evere deviation of colour under positions 4, 5 and 6	110
	ellystrip too wide	
	everely long in ticking or uneven ticking	
	evenery long in doking of direven doking	

- bellystrip too wide
- severely long in ticking or uneven ticking
- severely dark or light on chest, legs and feet
- too large eyecircles
- too many odd coloured hairs

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

# Argentes



### 4. Topcolour and ticking/tipping

The ticking/tipping is evenly spread on the body as on the head, around the eyes, the chest and on the feet. For topcolour and colour of ticking/tipping see Table 1.

### 5. Bellycolour and strip

The colour on the belly is slightly matter and without ticking. The belly strip needs to have a well defined demarcation line and be as narrow as possible.

### 6. Undercolour

For topcolour and colour of ticking/tipping see Table 1.



# **Solid Argentes**



### 4. Topcolour and ticking/tipping

The ticking/tipping is evenly spread on the body as on the head, around the eyes, the chest and on the feet. For topcolour and colour of ticking/tipping see Table 1.

### 5. Bellycolour and ticking

The colour on the belly is slightly matter and shows an evenly spread ticking.

A calle de cuniculture

### 6. Undercolour

For topcolour and colour of ticking/tipping see Table 1.

# Table 1.

	Topcolour	Ticking/tipping	Eyes	Ears	Pads	Toenails	Undercolour
Slate/gold-argente	Gold	Slate	Dark ruby	Dark	Dark	Dark	Slate
Slate/Buff-argente	Buff	Slate	Dark ruby	Dark	Dark	Dark	Slate
Slate/Cream-argente	Cream	Slate	Dark ruby	Dark	Dark	Dark	Slate
Slate/White-argente	Silver-grey	Slate	Dark ruby	Dark	Dark	Dark	Slate
Lilac/Gold-argente	Gold	Lilac	Pink	Flesh pink	Flesh pink	Horn-coloured	Lilac
Lilac/Saffron-arg <mark>e</mark> nte	Saffron	Lilac	Pink	Flesh pink	Flesh pink	Horn-coloured	Lilac
Lilac/Cream-argente	Cream	Lilac	Pink	Flesh pink	Flesh pink	Horn-coloured	Lilac
Lilac/White-argente	Silver-grey	Lilac	Pink	Flesh pink	Flesh pink	Horn-coloured	Lilac
Beige/Gold-argente	Gold	Beige	Pink	Flesh pink	Flesh pink	Horn-coloured	Beige
Beige/Saffron-argente	Saffron	Beige	Pink	Flesh pink	Flesh pink	Horn-coloured	Beige
Beige/Cream-argente	Cream	Beige	Pink	Flesh pink	Flesh pink	Horn-coloured	Beige
Beige/White-argente	Silver-grey	Beige	Pink	Flesh pink	Flesh pink	Horn-coloured	Beige

et de Cuniculture

# Selfs

### Introduction

A Self is a single coloured animal where the colour should be the same all over the exhibit, without any other coloured hairs or patches.. The Self breeds can be split up into two colour groups:

- 1. The Black / Brown group: tente
- Black
- Blue
- Slate
- Lilac
- Chocolate
- Beige

2. The Red / Yellow group:

20,

20 10

10

15

15

15

15 100

cultur

- Red
- Golden (DE)
- Golden (PE)
- Buff
- Saffron
- Cream (DE)
- Cream (PE)
- White (DE)
- White (PE)

1.	Туре	and	Shape
~		_	

- Head, Eyes and Ears
- 3. Coat
- 4. Topcolour
- 5. Bellycolour
- Undercolour 6.
- Condition and Presentation 7.

### Faults

- slight deviation of colour under positions 4, 5 and 6
- few odd coloured hairs
- any shading of skin on body, ears and/or pads

### Disgualifications

- severe deviation of colour under positions 4, 5 and 6
- too many odd coloured hairs

In addition to the above, all faults and disgualifications as mentioned under the General Description apply.

# Black



### 4. Topcolour

The topcolour is to be a deep and lustrous black colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes:	Dark
Ears:	Black
Pads:	Black
Toenails:	Black

### 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

### 6. Undercolour

Should match the topcolour down to the skin as much as possible.

# Blue



### 4. Topcolour

The topcolour is to be a dark grey-blue shade, similar to graphite, free from any hint of brown. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes:	Dark
Ears:	Dark grey-blue
Pads:	Dark grey-blue
Toenails:	Dark grey-blue

### 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

### 6. Undercolour

Should match the topcolour down to the skin as much as possible.

# Slate



## 4. Topcolour

1

The topcolour is to be a medium grey colour, free from any hint of brown. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs. Young exhibits invariably have a darker, more intensive colour than adult exhibits.

Eyes:	Dark ruby
Ears:	Dark
Pads:	Dark
Toenails:	Dark

# 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

#### 6. Undercolour

Should match the topcolour down to the skin as much as possible.

# Lilac



# 4. Topcolour

The topcolour is to be a medium dove grey colour with a hint of pink veiling. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs. Young exhibits invariably have a darker, more intensive colour than adult exhibits.

Eyes: Ears: Pads: Toenails: Pink Flesh pink Flesh pink Horn-coloured

# 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

e et de Cunicul

# Chocolate



## 4. Topcolour

The topcolour is to be a rich dark brown colour, like plain chocolate. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Dark ruby Chocolate Chocolate Chocolate

## 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

# Coffee



# 4. Topcolour

The topcolour is to be a warm toffee colour (coffee with milk) but more darker than beige. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs. Young exhibits invariably have a darker, more intensive colour than adult exhibits.

Eyes:	Dark ruby
Ears:	Dark brown
Pads:	Dark brown
Toenails:	Dark brown

## 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

#### 6. Undercolour

Should match the topcolour down to the skin as much as possible.

e et de Cunicu

# Beige



## 4. Topcolour

The topcolour is to be a pale brown colour, like milky coffee with a hint of grey veiling. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs. Young exhibits invariably have a darker, more intensive colour than adult exhibits.

Eyes: Ears: Pads: Toenails: Pink Flesh pink Flesh pink Horn-coloured

## 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

### 6. Undercolour

Should match the topcolour down to the skin as much as possible.

# Red



# 4. Topcolour

The topcolour is to be a rich and warm dark red colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes:		Dark
Ears:	1	Black
Pads:		Black
Toenails:		Black

# 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

et de Cut

# Golden Dark Eyed (DE)



# 4. Topcolour

The topcolour is to be a rich and warm golden-orange colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Dark brown Flesh pink Flesh pink Horn-coloured

## 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

## 6. Undercolour

Should match the topcolour down to the skin as much as possible.

We et de Cunicult

# Golden Pink Eyed (PE)



# 4. Topcolour

The topcolour is to be a rich and warm golden-orange colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Pink Flesh pink Flesh pink Horn-coloured

## 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

et de Cuni

# Saffron



# 4. Topcolour

**L** 

The topcolour is to be a rich, dark ochre yellow colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Pink Flesh pink Flesh pink Horn-coloured

#### 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

et de Cuni

# Buff



## 4. Topcolour

The topcolour is to be a rich, dark ochre yellow colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Dark brown Flesh pink Flesh pink Horn-coloured

# 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

## 6. Undercolour

Should match the topcolour down to the skin as much as possible.

# Cream Dark Eyed (DE)



# 4. Topcolour

The topcolour is to be a soft and pale cream colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes:	Dark ruby
Ears:	Flesh pink
Pads:	Flesh pink 🧖
Toenails	: Horn-coloured

#### 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

de Cul

# Cream Pink Eyed (PE)



# 4. Topcolour

The topcolour is to be a soft and pale cream colour. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes:	Pink
Ears:	Flesh pink
Pads:	Flesh pink
Toenails:	Horn-coloured

#### 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

et de Cut

# White Dark Eyed (DE)



# 4. Topcolour

The topcolour is to be pure snow white. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Dark ruby or blue Flesh pink Flesh pink Horn-coloured

#### 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

et de Cuni

# White Pink Eyed (PE)



# 4. Topcolour

The topcolour is to be pure snow white. The colour of the entire cavy should be of an even shade all over and free from flakiness, shading as well as odd coloured hairs.

Eyes: Ears: Pads: Toenails: Pink Flesh pink Flesh pink Horn-coloured

# 5. Bellycolour

The belly colour is slightly matter in comparison to the topcolour.

# 6. Undercolour

Should match the topcolour down to the skin as much as possible.

e et de Cunicu

# **Marked Varieties**

# Introduction

Marked varieties show all their markings from birth with the exception of the Himalayan and Californian which is born pure self coloured with the markings appearing at a later stage.

- Brindle
- Tortoiseshell
- Harlequin
- Magpie -
- ste Européenne Tortoise and white
- Bicolour
- Tricolour -
- Dutch -
- Himalayan
- Californian -
- Dalmation
- Roan
- Tan
- Fox
- Lux
- Otter

# The Standard

- Type and Shape 1.
- 2. Head, Eyes and Ears
- 3. Coat
- 4. Breedspecific
- 5. Breedspecific
- 6. Colour

- slight deviation of colour under positions 4, 5 and/or 6

- severe deviation of colour under positions 4, 5 and/or 6

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

20

10 10

15

15

15

# **Brindle**



#### 4. Head and top markings

The head and body show an even mixture of two standardized colours, except white.

#### 5. Belly markings

The belly shows an even mixture of two standardized colours, except white.

#### 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

#### Faults

- a few small patches of one colour
- slightly uneven colour mixture

# Disqualifications

- et de Cuniculturé tches of one cel - numerous and/or bigger patches of one colour
- very uneven colour mixture

- numerous and/or bigger patches of one colour not to exceed 1/3 of the entire cavy.

# Tortoiseshell



# 4. Head and top markings

The head and body show an equal distribution of square-cut patches of preferably equal size of two standardized colours, except white. There should be an imaginary line running from the nose to the hindguarters on the back and belly separating two opposing coloured patches.

## 5. Belly markings

The markings from the top are continued on the belly.

## 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

# Faults

- slightly uneven patching
- et de Cuniculture - slightly big and/or small patches
- banding
- slight brindling
- slightly indistinct patches

## Disgualifications

- very uneven patching
- very big and/or small patches
- less than three coloured patches per side (including the head)
- less than 25% of one colour
- too much brindling
- lacking clear cut lines

# **Tortoise and White**



## 4. Head and top markings

The head and body show an equal distribution of square-cut patches of preferably equal size of two standardized colours in combination with white. There should be an imaginary line running from the nose to the hindquarters on the back and belly separating opposing coloured patches.

#### 5. Belly markings

The markings from the top are continued on the belly.

## 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

le Cunicultur

#### Faults

- slightly uneven patching
- slightly big and/or small patches
- banding
- slightly indistinct patches

# Disqualifications

- very uneven patching
- very big and/or small patches
- less than three coloured patches per side (including the head)
- less than 20% of one colour
- too many indistinct patches
- one of the three colours completely missing on one side (including the head)

# Harlequin



# 4. Head and top markings

The head and body show an equal distribution of square-cut patches of preferably equal size of two standardized colours and mixed patches, except white. There should be an imaginary line running from the nose to the hindquarters on the back and belly separating opposing coloured patches.

#### 5. Belly markings

The markings from the top are continued on the belly.

## 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

- panding
  slightly indistinct patches

  Disqualificatiobns

  very uneven patching

- very big and/or small patches
- less than three coloured patches per side (including the head)
- less than 20% of one colour
- too many indistinct patches

- one of the three required patches completely missing on one side (including the head)

# Magpie



# 4. Head and top markings

The head and body show an equal distribution of square-cut patches of preferably equal size of one standardized colour and white and mixed patches. There should be an imaginary line running from the nose to the hindquarters on the back and belly separating opposing coloured patches.

## 5. Belly markings

The markings from the top are continued on the belly.

# 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

- panding
   slightly indistinct patches
  Disqualificatiobns
   very uneven patching

- very big and/or small patches
- less than three coloured patches per side (including the head)
- less than 20% of one colour
- too many indistinct patches

- one of the three required patches completely missing on one side (including the head)

# Bicolour



# 4. Distribution

It should show an equal distribution (50/50%) of two standardized colours

## 5. Balanced

The two colours should be balanced on both sides including the belly.

# 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

## Faults

- slightly uneven distribution or unbalanced

# Disqualifications

- very uneven distribution or unbalanced
- less than two coloured patches per side (including the head)
- less than 25% of one colour

# Tricolour



## 4. Distribution

It should show an equal distribution of three standardized colours

# 5. Balanced

The three colours should be balanced on both sides including the belly.

#### 6. Colour

The colours should be in line with the standard description for "Agoutis and Selfs".

## Faults

- slightly uneven distribution or unbalanced

# Disqualifications

- very uneven distribution or unbalanced
- less than three coloured patches per side (including the head) - less than 20% of one colour

# Dutch



## 4. Head markings

The cheek markings should be oval and surround the eyes and ears without taking in the smellers. The cheek markings should touch behind the ears, without any white showing. The shape of the blaze is dictated by the cheek markings.

#### 5. Body markings

The saddle starts midway between neck and hips to be cut as a straight line that runs round the body. The stops are situated on the hind feet and should ideally start between the hock and the toe ends. Stops are required on both hind feet.

# 6. Colour

The cheeks and saddle are standardized in "Agoutis and Selfs", with a white body colour. The colours should be in line with the standard description for "Agoutis and Selfs".

#### Faults

- slightly big, small or uneven cheek markings
- cheeks not quite touching behind the ears
- flesh marks on the ears
- slightly short, narrow or wide blaze
- saddle cut slightly too far forward or slipping
- uneven cut
- slightly short or long in stops
- cheeks running into the smellers

# Disqualifications

- one ear set outside the cheek markings
- one or two total flesh ears
- odd coloured patches
- one missing stop
- white of one or two stops going round the hocks



# Himalayan



## 4. Head markings

The head markings consist of the coloured smut and ears. The smut starts well up between the eyes and is pear-shaped right down to the nose without taking in the corners of the eyes. There should be as clear a demarcation line as possible.

#### 5. Body markings

The body markings consist of the coloured legs, feet and pads. Colour to be carried well up the legs.

#### 6. Colour(s)

The markings are standardized in Black or Chocolate. The eye colour is red. The body colour is white. The colours should be in line as their standard description under "Selfs". The colour of ears, pads and toenails need to match with the colour of the markings. licultur

## Faults

- slightly deviating shape of the smut
- slight body stain
- slightly lacking in points' colour density in markings
- a hint of brindling and/or rust in the points(markings)

#### Disgualifications

- wrong shape of the smut
- too much body stain
- severely lacking colour density in markings
- too many white hairs and/or too much rust in the points(markings)

(NB: Himalayans are born completely white and develop the coloured markings at a later stage.)

# Californian



#### 4. Head markings

The head markings consist of the coloured smut and ears. The smut starts well up between the eyes and is pear-shaped right down to the nose without taking in the corners of the eyes. At the base of the ears it shows a coloured line. There should be as clear a demarcation line as possible. A small spot on their throat is permitted.

#### 5. Body markings

The body markings consist of the coloured legs, feet, pads and genitals. Colour to be carried well up the legs.

#### 6. Colour(s)

The markings are standardized in Black or Chocolate. The body colour can be white, cream, buff, golden or red. The colours should be in line as their standard description under "Selfs". The colour of ears, pads and toenails need to match with the colour of the markings. icultu

#### Faults

- slightly deviating shape of the smut
- slight body stain
- slightly lacking in points' colour density in markings
- a hint of brindling and/or rust in the points(markings)

#### Disgualifications

- wrong shape of the smut
- too much body stain
- severely lacking colour density in markings
- too many white hairs and/or too much rust in the points(markings)

(NB: Californians are born completely self coloured and develop the markings at a later stage.)

# Dalmation



#### 4. Head Markings

The head markings consist of a white blaze with solid colour on either side giving a well balanced appearance. The blaze starts between the ears and reaches the nose without taking in the eyes. The cheeks should preferably be solid coloured and show no roaning.

#### 5. Body Markings

The body is white with coloured spots, preferably of even size. The legs and feet are also solid coloured and preferably without any roaning. The spotting should be clear, distinct and evenly distributed around the body with good demarcation between spots.

#### 6. Colour

The head and body markings are standardized in "Agoutis, Solid agoutis, Argentes, Solid argentes, Brindles and Selfs". The colours should be in line with the standard description for "Agoutis, Solid agoutis, Argentes, Solid argentes, Brindles and Selfs" Due to the Dalmation gene the dark eyes may have a ruby tint and may have a distinct blue ring around the iris.

#### Faults

- few spots or spots very close together
- slightly roaned head, legs, feet and/or body
- slightly short, lopsided, wide or asymmetrical blaze
- one white toe and/or toenail without any pigmentation

# Disqualifications

- too few spots or spots too close together (especially on the rump)
- severely roaned head, legs, feet and/or body
- blaze that is too short, lopsided, wide and/or asymmetrical
- missing blaze or blaze with a break
- more than one white toe and/or toenail without any pigmentation



(NB – Important: Dalmations should never be bred together and Dalmations should never be bred with Roans)

# Roan



# 4. Head Markings

The head is solid coloured.

#### 5. Body Markings

The Roan is genetically a coloured cavy with the colour having been repressed on certain body parts. The body consists of evenly intermixed coloured and white hairs. The legs and feet are solid coloured.

# 6. Colour

The head and body markings are standardized in "Agoutis, Solid agoutis, Argentes, Solid argentes, Brindles and Selfs". The colours should be in line with the standard description for "Agoutis, Solid agoutis, Argentes, Solid argentes, Brindles and Selfs". Due to the Roan gene the dark eyes may have a ruby tint.

# Faults

- little, much or uneven roaning
- slightly roaned head, legs and/or feet
- icultu - one white toe and/or toenail without any pigmentation

#### Disgualifications

- too little, too much or too uneven roaning
- severely roaned head, legs and/or feet
- more than one white toe and/or toenail without any pigmentation
- any vestige of a blaze

#### (NB – Important: Roans should never be bred together and Roans should never be bred with Dalmations)

# Dapple



# 4. Head and Feet Markings

Dapple markings consist of a dark brown mask, legs and feetpads. The ears should either be brown or have dappled coloured (uneven pigmentation) ears. The mask should start at the height of eyes, without touching the eye-corners, and interference across the nose.

#### 5. Body Markings

Body markings is formed of chocolate and white hairs that are evenly mixed and have the same impression as at a roan, but genes have nothing in common. The factor responsible for drawing dapple lightens chocolate hairs to white.

#### 6. Colour

Head and body marking is standardized in Chocolate. Colour should be consistent with the standard description for chocolates. Cunicultur

## Faults

- slightly weaker colour of head characters
- slightly brindle mask
- slightly brindle marking of feet
- slightly uneven marking of body
- eye circles are allowed but not desired

## Disgualifications

- significantly weak colour of head characters
- significantly brindle mask
- significantly brindle marking of foots
- significantly uneven marking of body

# Tan



## 4. Head Markings

The nostrils are tan coloured and well defined. The whiskers have the same colour as the surrounding colour (two different colours are possible). The tan coloured eye circles should be round, unbroken and not too wide. The hairs inside the ears to be tan coloured and on the forehead at the base of each ear is a clear tan coloured spot (also called pea spot). The jowls to be tan coloured. The chest has individual tan coloured hairs that run between the legs and gradually merge into the belly strip.

## 5. Body Markings

The body is solid coloured. The flanks are thickly laced with long tan hairs. The belly strip must be as wide as possible and visible when the cavy is viewed from the side. The hairs on the belly strip show a long tan coloured tip over the undercolour, creating a bright tan coloured belly. The inside of the front and back legs as well as the inside toes are also tan coloured. Few tan coloured hairs can be found on the outside.

## 6. Colour

The belly colour and markings are a warm mahogany (tan colour). The body colour is either black, blue, slate, lilac, chocolate or beige. The body colour should be in line as their standard description under "Selfs".

## Faults

- little or much and/or uneven lacing on the sides of the rump
- little or much ticking on chest, legs and feet
- little or much definition of eye circles and nostrils
- little, much or indistinct throat band
- slightly uneven, ticked or tipped belly colour

- slightly narrow belly strip
- slight peppering between the nostrils and the eye circles
- missing pea spots

# Disqualifications

- too little or much and/or uneven lacing on the sides of the rump
- too little or much ticking on chest, legs and feet
- too little or much definition of eye circles and nostrils
- too little or too much throat band
- belly colour too uneven or too ticked or tipped
- belly strip too narrow
- too much peppering between the nostrils and the eye circles

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.



# Lux



#### 4. Head Markings

The nostrils are buff coloured and well defined. The whiskers have the same colour as the surrounding colour (two different colours are possible). The buff coloured eye circles should be round, unbroken and not too wide. The hairs inside the ears to be buff coloured and on the forehead at the base of each ear is a clear buff coloured spot (also called pea spot). The jowls to be buff coloured. The chest has individual buff coloured hairs that run between the legs and gradually merge into the belly strip.

#### 5. Body Markings

The body is solid coloured. The flanks are thickly laced with long buff hairs. The belly strip must be as wide as possible and visible when the cavy is viewed from the side. The hairs on the belly strip show a long buff coloured tip over the undercolour, creating a clear buff coloured belly. The inside of the front and back legs as well as the inside toes are also buff coloured. Few buff coloured hairs can be found on the outside.

#### 6. Colour

The belly colour and markings are a buff coloured. The body colour is either black, blue, slate, lilac, chocolate or beige. The body colour should be in line as their standard description under "Selfs".

#### Faults

- little or much and/or uneven lacing on the sides of the rump
- little or much ticking on chest, legs and feet
- little or much definition of eye circles and nostrils

69

- little, much or indistinct throat band
- slightly uneven, ticked or tipped belly colour
- slightly narrow belly strip
- slight peppering between the nostrils and the eye circles
- missing pea spots

# Disqualifications

- too little or much and/or uneven lacing on the sides of the rump
- too little or much ticking on chest, legs and feet
- too little or much definition of eye circles and nostrils
- too little or too much throat band
- belly colour too uneven or too ticked or tipped
- belly strip too narrow
- too much peppering between the nostrils and the eye circles

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.



# Otter



#### 4. Head Markings

The nostrils are cream coloured and well defined. The whiskers have the same colour as the surrounding colour (two different colours are possible). The cream coloured eye circles should be round, unbroken and not too wide. The hairs inside the ears to be cream coloured and on the forehead at the base of each ear is a clear cream coloured spot (also called pea spot). The jowls to be cream coloured. The chest has individual cream coloured hairs that run between the legs and gradually merge into the belly strip.

#### 5. Body Markings

The body is solid coloured. The flanks are thickly laced with long cream hairs. The belly strip must be as wide as possible and visible when the cavy is viewed from the side. The hairs on the belly strip show a long cream coloured tip over the undercolour, creating a clear cream coloured belly. The inside of the front and back legs as well as the inside toes are also cream coloured. Few cream coloured hairs can be found on the outside.

## 6. Colour

The belly colour and markings are a cream coloured. The body colour is either black, blue, slate, lilac, chocolate or beige. The body colour should be in line as their standard description under "Selfs".

## Faults

- little or much and/or uneven lacing on the sides of the rump
- little or much ticking on chest, legs and feet
- little or much definition of eye circles and nostrils
- little, much or indistinct throat band
- slightly uneven, ticked or tipped belly colour
- slightly narrow belly strip

- slight peppering between the nostrils and the eye circles

- missing pea spots

# Disqualifications

- too little or much and/or uneven lacing on the sides of the rump
- too little or much ticking on chest, legs and feet
- too little or much definition of eye circles and nostrils
- too little or too much throat band
- belly colour too uneven or too ticked or tipped
- belly strip too narrow
- too much peppering between the nostrils and the eye circles

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cuniculture

# Fox



#### 4. Head Markings

The nostrils are white coloured and well defined. The whiskers have the same colour as the surrounding colour (two different colours are possible). The white coloured eye circles should be round, unbroken and not too wide. The hairs inside the ears to be white coloured and on the forehead at the base of each ear is a clear white coloured spot (also called pea spot). The jowls to be white coloured. The chest has individual white coloured hairs that run between the legs and gradually merge into the belly strip.

#### 5. Body Markings

The body is solid coloured. The flanks are thickly laced with long white hairs. The belly strip must be as wide as possible and visible when the cavy is viewed from the side. The hairs on the belly strip show a long white coloured tip over the undercolour, creating a silver-white coloured belly. The inside of the front and back legs as well as the inside toes are also white coloured. Few white coloured hairs can be found on the outside.

#### 6. Colour

The belly colour and markings are white coloured. The body colour is either black, blue, slate, lilac, chocolate or beige. The body colour should be in line as their standard description under "Selfs".

#### Faults

- little or much and/or uneven lacing on the sides of the rump
- little or much ticking on chest, legs and feet
- little or much definition of eye circles and nostrils
- little, much or indistinct throat band
- slightly uneven, ticked or tipped belly colour

- slightly narrow belly strip
- slight peppering between the nostrils and the eye circles
- missing pea spots

### Disqualifications

- too little or much and/or uneven lacing on the sides of the rump
- too little or much ticking on chest, legs and feet
- too little or much definition of eye circles and nostrils
- too little or too much throat band
- belly colour too uneven or too ticked or tipped
- belly strip too narrow
- too much peppering between the nostrils and the eye circles

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.



# **Rough Hair and other Variants**

# Introduction

The Rough Coated varieties can be divided in to the following breeds:

10

10

15

15

15

15 100

- Satin
- **Crested Satin** \_
- Crested
- Abyssinian -
- Rex -
- US-Teddy
- CH-Teddy

# The Standard

- Type and Shape 1.
- ente Europécha Head, Eyes and Ears 2.
- 3. Breedspecific
- 4. Breedspecific
- Breedspecific 5.
- 6. Breedspecific
- 7. Condition and Presentation

Rente et de Cuniculture

# Satin (Smooth coated)



#### Introduction

The Satin factor causes the hair shaft to be flat and each individual hair to be thinner. Therefore it reflects light in a completely different way which gives the coat the required sheen.

#### The Standard

1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Coat	10
4.	Texture	15
5.	Sheen	15
6.	Colour and/or markings Colour and/or markings	15
7.	Condition and Presentation	<u>15</u>
		100

#### 3. Coat

The coat is around  $2 \ensuremath{^{1\!/_2}}$  cm long. The coat has to be free of rosettes and ruffles and is not in moult.

#### 4. Texture

The coat is dense, short, flat and glossy and consists of fine, silky hairs.

#### 5. Sheen

The ideal coat of an exhibit looks even with a glossy sheen all over the body, head, legs and feet.

#### 6. Colour and/or markings

Standardised in all recognised colours and markings of which the standard is described under "Smooth coated". Colour and/ markings should ideally conform to these descriptions.

#### Faults

- little satin sheen
- slightly matt, thin, open, woolly and/or coarse coat (including belly)
- slightly long or short coat
- other slight deviations under positions 3, 4, 5 and/or 6

#### **Disqualifications**

- showing no satin sheen
- too matt, thin, open, woolly and/or coarse coat (including belly
- too long or short coat
- severe moult or bald patches in coat
- quiffs and skirting in coat
- severe deviations under positions 3, 4, 5 and/or 6

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cuniculture

# **Crested Satin**



#### Introduction

The Satin factor causes the hair shaft to be flat and each individual hair to be thinner. Therefore it reflects light in a completely different way which gives the coat the required sheen.

20

10

10

15

15

15

15 100

#### The Standard

- Type and Shape 1.
- 2. Head, Eyes and Ears
- 3. Coat
- Position, Shape and centre of the crest 4.
- 5. Texture and Sheen
- 6. Colour and/or markings
- 7. Condition and Presentation

#### 3. Coat

et de Cunicul The coat is around 21/2 cm long. The coat has to be free of rosettes and ruffles and is not in moult.

#### 4. Position, Shape and centre of the crest

The Crest should be placed in the middle of the forehead, in the centre of the diagonals of an imaginary quadrangle which is formed by the eyes and the ears. The crest needs to be as round and big as possible and radiates from a pinpoint centre.

#### 5. Texture and sheen

The coat is dense, short, flat and glossy and consists of fine, silky hairs. The ideal coat of an exhibit looks even with a glossy sheen all over the body, head, legs and feet.

#### 6. Colour and/or markings

The English Crested Satin is standardised all recognised colours and markings of which the standard is described under "Smooth coated". The American Crested Satin is standardised all recognised colours and markings, excluded is White DE/PE and marked varieties with white in them. Colour and/ markings should ideally conform to these descriptions. 2Dr

### Faults

- little satin sheen
- slightly matt, thin, open, woolly and/or coarse coat (including belly)
- slightly long or short coat
- slightly open and/or guttered centre point of the crest
- slightly deviating of the position, shape or size of the crest
- sparsely white coloured crest in American Cresteds
- other slight deviations under positions 3, 4, 5 and/or 6

# Disqualifications

- showing no satin sheen
- too matt, thin, open, woolly and/or coarse coat (including belly
- too long or short coat
- severe moult or bald patches in coat
- guiffs and skirting in coat
- centre point of the crest too open and/or too guttered
- too much deviation of the position, size or shape of the crest
- white colour in other parts on the body of Americans
- severe deviations under positions 3, 4, 5 and/or 6
- more than 1 centre of the crest

In addition to the above, all faults and disqualifications as mentioned under the General Description apply. et de Cunic

# Crested



#### Introduction

The main feature on Crested cavies is the crest on their forehead. English Cresteds have crests that match the body colour, whereas American Cresteds have crests that are white.

20

10

10

15

15

15

<u>15</u> 100

#### The Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Coat
- 4. Position of the crest
- 5. Shape and centre of the crest
- 6. Colour and/or markings
- 7. Condition and Presentation

#### 3. Coat

The coat is around  $2\frac{1}{2}$  cm long. The coat has to be free of rosettes and ruffles and is not in moult.

#### 4. Position of the crest

The Crest should be placed in the middle of the forehead, in the centre of the diagonals of an imaginary quadrangle which is formed by the eyes and the ears.

#### 5. Shape and centre of the crest

The crest needs to be as round and big as possible and radiates from a pinpoint centre.

#### 6. Colour and/or markings

The English Crested is standardised all recognised colours and markings of which the standard is described under "Smooth coated". The American Crested is standardised all recognised colours and markings, excluded is White DE/PE and marked varieties with white in them. Colour and/ markings should ideally conform to these descriptions.

### Faults

- slightly open and/or guttered centre point of the crest
- slightly deviating of the position, shape or size of the crest
- sparsely white coloured crest in American Cresteds
- other slight deviations under positions 3, 4, 5 and/or 6

# Disgualifications

- centre point of the crest too open and/or too guttered
- enne - too much deviation of the position, size or shape of the crest
- white colour in other parts on the body of Americans
- severe deviations under positions 3, 4, 5 and/or 6
- more than 1 centre of the crest

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.



# Abyssinian



#### Introduction

The main feature Abyssinians is the presence of the evenly distributed rosettes and ridges.

The Stan	dard
----------	------

1116		
1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Distribution of Rosettes and Ridges	15
5.	Shape and Centres of Rosettes	15
6.	Coat	15
7.	Condition and Presentation	<u>15</u>
	S 'S 'S	100

## 3. Colour and/or markings

Standardised in all recognised colours and markings of which the standard is described under "Smooth coated". Colour and/ markings should ideally conform to these descriptions.,

#### 4. Distribution of Rosettes and Ridges

Four body rosettes that form the saddle and sides rosettes; one rosette on each hip and two rump rosettes are required. Two shoulder rosettes and/or two smaller rosettes on the nose as well as a moustache are optional, but will enhance the cavy's appearance. It is essential that all rosettes are evenly distributed over the body and that each rosette is clear and distinct from the other. Ridges are formed as a result of two rosettes placed next to one another; these must be straight, erect and stand up well.

#### 5. Shape and Centres of Rosettes

The rosettes should be as round and big as possible, radiating from a pinpoint centre with good depth.

#### 6. Coat

The coat of an Abyssinian is approximately 3<sup>1</sup>/<sub>2</sub> cm. long and has a thick and harsh texture to it. Européenne

### Faults

- slightly soft, short or open coat
- slightly deviating shape of rosettes
- slightly open or guttered rosette centres
- slightly weak, thin or twisted ridges
- rosettes slightly out of line
- one double rosette
- other slight deviations under positions 3, 4, 5 and/or 6

#### Disgualifications

- fewer or more of the required rosettes
- too soft, short or open coat
- failing distribution and shape of rosettes, rosette centres too open
- too weak, thin or twisted ridges
- two or more double rosettes
- severe deviations under positions 3, 4, 5 and/or 6

In addition to the above, all faults and disqualifications as mentioned under the General Description apply. The et de Cunicultur

# Rex



#### Introduction

A Rex is a rough coated cavy with a coarse, dense, crimped, thick, short, erect and springy coat.

20

10

10

15

15

15

<u>15</u> 100

#### The Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Colour and/or markings
- 4. Coat texture and direction
- 5. Coat length
- 6. Coat density
- 7. Condition and Presentation

#### 3. Colour and/or markings

Standardised in all recognised colours and markings of which the standard is described under "Smooth coated". Colour and/ markings should ideally conform to these descriptions.

#### 4. Coat texture and direction

The texture of a Rex is crimped and coarse. The crimped and coarse coat shows an erect and springy look, with no areas of flatness or with coat tending to lie down. When mildly touched the coat should show resilience and return in to its original look. The whiskers are curled. The belly should be curly.

#### 5. Coat length

Coat length to be no more than  $2\frac{1}{2}$  cm long. As a general rule, Rex invariably have a longer and slightly coarser coat than Teddies.

### 6. Coat density

The coat should be very thick and dense all over the body. The coat has to be free of rosettes and ruffles and is not in moult.

# Faults

- slightly soft-coated, slightly lacking in springiness of coat
- slight flatness of coat, slightly long-coated
- coat slightly lacking in density, slightly thin-coated on belly
- other slight deviations under positions 3, 4, 5 and/or 6 Déenne

### Disgualifications

- too soft-coated, coat lacking springiness
- too much flatness of coat, too long-coated
- coat lacking density, thin on belly
- severe deviations under positions 3, 4, 5 and/or 6

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cuniculture

# **US-Teddy**



#### Introduction

A US-Teddy is a rough coated cavy with a dense, crimped, short, erect and springy coat.

20

10

10

15

15

15

<u>15</u> 100

#### The Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Colour and/or markings
- 4. Coat texture and direction
- 5. Coat length
- 6. Coat density
- 7. Condition and Presentation

#### 3. Colour and/or markings

Standardised in all recognised colours and markings of which the standard is described under "Smooth coated". Colour and/ markings should ideally conform to these descriptions.

#### 4. Coat texture and direction

The texture of a US-Teddy is crimped. The crimped coat shows an erect and springy look. When mildly touched the coat should show resilience and return in to its original look. The whiskers are fairly straight. The belly in young US Teddies is usually fairly curly, but tends to become flatter with age. Each individual hair shows a slight kink at the tip and with exceptional texture is inclined to point in the direction of the head.

### 5. Coat length

Coat length to be no more than 2 cm long. As a general rule, US-Teddies invariably have a shorter and more plush coat than Rex.

### 6. Coat density

The coat should be very thick and dense all over the body. The coat has to be free of rosettes and ruffles and is not in moult.

### Faults

- slightly coarse-coated, slightly lacking in springiness of coat
- slight flatness of coat, slightly long-coated
- coat slightly lacking in density, slightly thin-coated on belly
- other slight deviations under positions 3, 4, 5 and/or 6

#### Disqualifications

- too soft-coated, coat lacking springiness
- too much flatness of coat, too long-coated
- coat lacking density, thin on belly
- severe deviations under positions 3, 4, 5 and/or 6

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cuniculture

# CH-Teddy (Swiss teddy)



#### Introduction

A CH-Teddy or Swiss teddy is a rough coated cavy with a longer, erect and springy coat.

20

10

10

15

15 15

<u>15</u> 100

#### The Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Colour and/or markings
- 4. Coat texture and direction
- 5. Coat length
- 6. Coat density
- 7. Condition and Presentation

#### 3. Colour and/or markings

Standardised in all recognised colours and markings of which the standard is described under "Smooth coated". Colour and/ markings should ideally conform to these descriptions.

#### 4. Coat texture and direction

The texture of a CH-Teddy is crimped and coarse. The crimped and coarse coat stands erect from the body to give an overall 'puff-ball' appearance. When mildly touched the coat should show resilience and return in to its original look. The whiskers and belly should be wavy.

### 5. Coat length

The coat on the head is shorter, the longer coat starts between the ears and cheeks. Coat length to be between 5 and 7 cm long. As a general rule, young CH-Teddies invariably have a shorter and more plush coat than adults.

### 6. Coat density

The coat should be very thick and dense all over the body. The coat has to be free of rosettes and ruffles and is not in moult.

#### Faults

- slightly soft-coated, slightly long-coated
  slight flatness of coat, slightly long-coated
  coat slightly lacking in density, slightly thin-coated on belly
  the olight deviations under positions 3, 4, 5 and/or 6

### Disgualifications

- too soft-coated, coat lacking springiness
- too much flatness of coat, too long-coated
- coat lacking density, thin on belly
- severe deviations under positions 3, 4, 5 and/or 6

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cuniculture

# Long Coated Varieties

### Introduction

Longhaired exhibits will be presented to the judge without wrappers and it is allowed to shown both unclipped and clipped. The coat of the unclipped cavies should be in proportion to the age approx. 2.5 cm per month. The coat of the clipped cavies should be even and at least be touching the board.

The colour on longhaired exhibits is not as intense as the colour on shorthaired breeds. This is caused by the fact that the pigment centres around the tips of the hairs and gets less intense as the coat grows longer. The loss of colour intensity on longhaired breeds will not be unduly penalised when judged

20

10

10

15

15

15

<u>15</u> 100

The Long Coated varieties can be divided in to the following breeds:

- Peruvian
- Sheltie
- Coronet
- Alpaca
- Texel
- Merino
- Lunkarya


# The Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Colour and/or markings
- 4. Breedspecific
- 5. Breedspecific
- 6. Breedspecific
- 7. Condition and Presentation

# 3. Colour and/or markings

The Long Coated varieties are standardised in all recognised colours and markings of which the standard is described under "<u>Smooth coated</u>". The colour on longhaired exhibits is not as intense as the colour on shorthaired breeds. The loss of colour intensity on longhaired breeds will not be unduly penalised when judged.

Unclipped



# Peruvian



#### Introduction

The Peruvian is a long coated cavy breed with two rump rosettes parallel and close to each other. In front of these rosettes the coat should grow forwards and form a frontal.

The body should be short, compact, low set with even height and broad shoulders. The body shape and a good, dense frontal are very important features to give the Peruvian its powerful and round impression. The Peruvian is presented with parting.

#### The Standard

1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Frontal and Chops	15
5.	Shoulders, Sides and Sweep	15
6.	Coat Density and Texture	15
7.	Condition and Presentation	<u>15</u>
		100

#### 4. Frontal and Chops

The frontal should cover the head when it is adult (approx. 4 month). The head is shorter-coated. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length.

#### 5. Shoulders, Sides and Sweep

Peruvians have two rump rosettes. The coat of shoulders and sides should be even and harmonize with the length of the sweep.

#### 6. Coat Density and Texture

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be soft, silky and give an elastic impression all over the body.

#### Faults

- thin, non-elastic, worn texture and/or coarse coat
- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits

- deviation in coat length compared to the expected length at the particular age on unclipped exhibits

- damaged, matted and/or tangled coat
- deviation in rosette placement

#### **Disqualifications**

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to jugde

- extra rosettes

- the texture is totally coarse and/or crimped/springy

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.



# Sheltie



#### Introduction

The Sheltie is a long coated cavy breed. The head is smooth coated and the longer coat starts on the cheeks and between the ears from where it grows towards the sweep.

The body should be short, compact, low set with even height and broad shoulders. The Sheltie may be presented with parting or with mane. The Sheltie may be presented with parting or with the mane covering the parting.

#### The Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Colour and/or markings
- 4. Mane and Chops
- 5. Shoulders, Sides and Sweep
- 6. Coat Density and Texture
- 7. Condition and Presentation

de Cunicul 10 15 15 15

100

#### 4. Mane and Chops

The longer coat starts between the ears, also called the mane, from where it grows towards the sweep. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length.

#### 5. Shoulders, Sides and Sweep

The coat of shoulders and sides should be even and harmonize with the length of the sweep.

### 6. Coat Density and Texture

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be soft, silky and give an elastic impression all over the body.

#### Faults

- thin, non-elastic, worn texture and/or coarse coat
- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits

- deviation in coat length compared to the expected length at the particular age on unclipped exhibits

- damaged, matted and/or tangled coat

#### **Disqualifications**

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to jugde

- the texture is totally coarse and/or crimped/springy

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

Runne et de Cuniculture



# Coronet



#### Introduction

The Coronet is a long coated cavy breed with a crest on its forehead. The head is smooth coated and the longer coat starts on the cheeks and between the ears from where it grows towards the sweep.

The body should be short, compact, low set with even height and broad shoulders. The Coronet may be presented with parting or with mane. The Coronet may be presented with parting or with the mane covering the parting.

## The Standard

1110	otalidara	
1.	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Position, Shape and Centre of the Crest	15
5.	Mane, Chops, Shoulders, Sides and Sweep	15
6.	Coat Density and Texture	15
7.	Condition and Presentation	<u>15</u>
		100

#### 4. Position, Shape and Centre of the Crest

The crest is a rosette placed between eyes and ears. The crest should be symmetric, even and follow the shape of the head. The crest should give a balanced impression and radiate in all directions from a pinpoint centre between eyes and ears.

### 5. Mane, Chops Shoulders, Sides and Sweep

The longer coat starts between the ears, also called the mane, from where it grows towards the sweep. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length. The coat of shoulders and sides should be even and harmonize with the length of the sweep.

#### 6. Coat Density and Texture

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be soft, silky and give an Deenne elastic impression all over the body.

#### Faults

- deviation in crest position, shape and or centre
- thin, non-elastic, worn texture and/or coarse coat
- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits

- deviation in coat length compared to the expected length at the particular age on unclipped exhibits

- damaged, matted and/or tangled coat

#### Disqualifications

- more than 1 centre of the crest

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to jugde

- the texture is totally coarse and/or crimped/springy

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cuniculture

# Alpaca



#### Introduction

The Alpaca is a long coated curly cavy breed with two rump rosettes parallel and close to each other. In front of these rosettes the coat should grow forwards and form a frontal.

The body should be short, compact, low set with even height and broad shoulders. The body shape and a good, dense frontal are very important features to give the Alpaca its powerful and round impression. The Alpaca is presented with parting and can be shown combed and uncombed.

# The Standard

1.	Type and Shape	20
	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Frontal and Chops	15
5.	Shoulders, Sides and Sweep	15
6.	Coat Density, Springiness, Texture and Crimping	15
7.	Condition and Presentation	<u>15</u>
		100

#### 4. Frontal and Chops

The frontal should cover the head when it is adult (approx. 4 month). The coat on the head is shorter and with crimped hairs standing straight out. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length.

### 5. Shoulders, Sides and Sweep

Alpaca have two rump rosettes. The coat of shoulders and sides should be even and harmonize with the length of the sweep.

#### 6. Coat Density, Springiness, Texture and Crimping

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be soft, crimped and springy and give an elastic impression all over the body. The coat on the belly and iropeen, the whiskers should be curly.

#### Faults

- thin, non-elastic, worn texture and/or coarse coat
- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits
- deviation in coat length compared to the expected length at the particular age on unclipped exhibits
- lacking in springiness and/or crimping
- damaged, matted and/or tangled coat
- deviation in rosette placement

#### Disgualifications

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to iuade

- extra rosettes

- the texture is totally coarse and/or totally straight texture

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.



# Texel



#### Introduction

The Texel is a long coated curly cavy breed. The head is short and crimped coated and the longer coat starts on the cheeks and between the ears from where it grows towards the sweep.

The body should be short, compact, low set with even height and broad shoulders. The body shape and a good, dense frontal are very important features to give the Texel its powerful and round impression. The Texel is presented with or without parting and can be shown combed and uncombed.

### The Standard

	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Mane and Chops	15
5.	Shoulders, Sides and Sweep	15
6.	Coat Density, Springiness, Texture and Crimping	15
7.	Condition and Presentation	15
		100

#### 4. Mane and Chops

The coat on the head is shorter and with crimped hairs standing straight out. The longer coat starts between the ears, also called the mane, from where it grows towards the sweep. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length.

#### 5. Shoulders, Sides and Sweep

The coat of shoulders and sides should be even and harmonize with the length of the sweep.

# 6. Coat Density, Springiness, Texture and Crimping

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be soft, crimped and springy and give an elastic impression all over the body. The coat on the belly and the whiskers should be curly.

### Faults

- thin, non-elastic, worn texture and/or coarse coat
- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits

- deviation in coat length compared to the expected length at the particular age on unclipped exhibits

- lacking in springiness and/or crimping
- damaged, matted and/or tangled coat

### **Disqualifications**

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to jugde

- the texture is totally coarse and/or totally straight texture

straight texture

- too damaged, matted and/or tangled coat

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

et de Cunicultur

# Merino



#### Introduction

The Merino is a long coated curly cavy breed with a crest on its forehead. The head is smooth coated and the longer coat starts on the cheeks and between the ears from where it grows towards the sweep.

The body should be short, compact, low set with even height and broad shoulders. The Merino may be presented with parting or with mane. The Merino may be presented with parting or with the mane covering the parting and can be shown combed and uncombed.

#### The Standard

1.	Type and Shape	20
	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Position, Shape and Centre of the Crest	15
5.	Mane, Chops, Shoulders, Sides and Sweep	15
6.	Coat Density, Springiness, Texture and Crimping	15
7.	Condition and Presentation	<u>15</u>
		100

#### 4. Position, Shape and Centre of the Crest

The crest is a rosette placed between eyes and ears. The crest should be symmetric, even and follow the shape of the head. The crest should give a balanced impression and radiate in all directions from a pinpoint centre between eyes and ears.

### 5. Mane, Chops Shoulders, Sides and Sweep

The longer coat starts between the ears, also called the mane, from where it grows towards the sweep. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length. The coat of shoulders and sides should be even and harmonize with the length of the sweep.

### 6. Coat Density, Springiness, Texture and Crimping

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be soft, crimped and springy and give an elastic impression all over the body. The coat on the belly and Déenne the whiskers should be curly.

#### Faults

- deviation in crest position, shape and or centre
- thin, non-elastic, worn texture and/or coarse coat
- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits

- deviation in coat length compared to the expected length at the particular age on unclipped exhibits

- lacking in springiness and/or crimping
- damaged, matted and/or tangled coat

### Disgualifications

- more than 1 centre of the crest

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to jugde

- the texture is totally coarse and/or totally straight texture

In addition to the above, all faults and disqualifications as mentioned under the General Description apply. A culture et de Cuniculture

# Lunkarya (Peruvian type)



#### Introduction

The Lunkarya (Peruvian type) is a long coated cavy breed with two rump rosettes parallel and close to each other. In front of these rosettes the coat should grow forwards and form a frontal.

The body should be short, compact, low set with even height and broad shoulders. The body shape and a good, dense frontal are very important features to give the Lunkarya its powerful and round impression. The Lunkarya is presented with parting when combed and without parting when uncombed.

# The Standard

	Type and Shape	20
2.	Head, Eyes and Ears	10
3.	Colour and/or markings	10
4.	Frontal and Chops	15
5.	Shoulders, Sides and Sweep	15
6.	Coat Density, Texture and Waviness	15
7.	Condition and Presentation	15
		100

#### 4. Frontal and Chops

The frontal should cover the head when it is adult (approx. 4 month). The coat on the head is shorter and with coarse wavy hairs standing straight out. The chops which cover the cheeks and jaw line should be pronounced and strong with the hair all of one length.

#### 5. Shoulders, Sides and Sweep

Lunkarya have two rump rosettes. The coat of shoulders and sides should be even and harmonize with the length of the sweep.

#### 6. Coat Density, Texture and Waviness

The coat density should be even all around the body, and also from closest to the body and outwards to the tips. The coat texture should be coarse and wavy and give an elastic impression all over the body.

#### Faults

- thin, non-elastic, worn texture and/or coarse coat

- short and/or uneven coat
- missing tips and/or cut/chewed coat on unclipped exhibits

- deviation in coat length compared to the expected length at the particular age on unclipped exhibits

- lacking waviness
- damaged, matted and/or tangled coat
- deviation in rosette placement

#### **Disqualifications**

- so short and/or uneven coat (damage/cut or chewed) that it is impossible to jugde

- extra rosettes

- the texture is totally soft and/or totally straight texture

# (NB – Important: The Lunkarya also exists as sheltie and coronet and all of them also in satin. These types are not Standardised)

In addition to the above, all faults and disqualifications as mentioned under the General Description apply.

A. Culture et de Cuniculture

# **Skinny**

### Introduction

The breed characteristics of a group Skinny are hairless cavies on same parts od body.

10

15

15

15

15 100

can be divided in to the The Skinny varieties can be divided in to the following breed:

Skinny

### The Standard

- Type and Shape 8.
- 9. Head, Eyes and Ears
- 10. Colour and/or markings
- 11. Breedspecific
- 12. Breedspecific
- 13. Breedspecific
- 14. Condition and Presentation



# Skinny



#### Introduction

The breed characteristics of a Skinny is its hairless body and Coarse coated head, legs and feet. Presented with wellgroomed skin, which appears to be well looked after, without being shaved or showing the use of types of hair removal products.

15 Culture 15 Culture

15

100

#### Standard

- 1. Type and Shape
- 2. Head, Eyes and Ears
- 3. Colour and/or Markings
- 4. Coat Distribution
- 5. Coat Texture and Density
- 6. Skin
- 7. Condition and Presentation
- Total

#### 4. Coat distribution

There should be coat on the head, on feet/toes and on legs. They should have round shaped coat on the muzle and bridge of the nose, it is allowed for the coat to strive up to the ears in the shape of an V.With this come a hairsless forhead between the coat that runs The legs should be covered in coat up to the elbow/knee. Coat around genitals are preferred.

de (

### 5. Coat texture and density

The quality of the coat should be coarse, dense and crispy. The coat is of normal length, comparable with the length of other show coated breeds.

#### 6. Skin

The skin of a skinny should be clean, elastic, smooth, warm to touch and without scars. There should be significant folds in the skin around neck and above the legs.

#### Faults

- Slightly short, long and/or thin coat on head, feet/toes.
- Coat on jaws and/or patches of coat on the body.
- Slightly soft and/or straight coat
- Slightly dry, scurvy, oily and/or unelastic skin or some scars.
- -many pigment spots

#### **Disqualifications**

- Too short, long, thin and/or missing coat on head, feet/toes.
- Too soft and/or straight coat
- too much coat on the body
- too many scars or deviations in skin

Culture et de Cuniculture

# Appendix I Updates Standard

# May 2017:

- Additions pos. 3 Smooth Coated, added: "The lie of the coat is horizontal and runs from the head towards the hindquarters". Added to faults: "slight skirting behind front legs". Added to Disqualifications: "quiffs and severe skirting in coat".
- Changed Text for Solid agoutis. Removed: "Dark feet are currently tolerated",
- Addition General faults Selfs, added: "any shading of skin on body, ears and/or pads".
- Removed Text "without any pigmentation" under colours Golden DE, Golden PE, White DE and White PE under description Ears and Pads.
- Changed Text pos. 6 Dalmation and Roan.
- Changed Text for Satin and added standard for Crested Satin.
- Added Text "Peruvians have 2 rump rosettes." pos. 5 Peruvian.
- Added Text "Alpacas have 2 rump rosettes." pos. 5 Alpaca.
- Added Text "Lunkaryas have 2 rump rosettes." pos. 5 Lunkarya.
- Added New standard for variety "Dapple".

# May 2<mark>0</mark>18:

- Changed description Himilayan and Californian
- Changed pos. 6 Undercolour on all Selfs

# May 2019:

- Added new Coffee
- Small change in position 4 and 5 Dapple
- Changed positions 4, 5 and 6 Rex
- Changed positions 4, 5 and 6 US-Teddy
- Changed positions 4, 5 and 6 CH-Teddy (Swiss teddy)
- Created Appendix II Recommendation Skinny

### May 2023:

- The formulation in coat specification of US Teddy
- The disqualification by Dutch one missing stop
- The Groupname Rough hair changed to Rough Hair and other Variants
- Update ESKC

# May 2024:

- updated- new photos
- Skinny added to the EE-Standard
- Point 1.Type and Shape / Disqualifications: Any anatomical sceletal Deformations. Update: Any anatomical deformations and abnormalities

et de Cunic